

2.〈녹화 검색〉 을 선택하면 타임랩스 검색 모드가 실행됩니다.



기기 화면에서 마우스를 밑으로 움직이면 메뉴바가 나타납니다

□ IDIS



에스원 기기에 동그란 버튼이 없으면 ITX입니다



에스원 기기에 동그란 버튼이 있으면 IDIS 입니다

1. 녹화기 종류를 확인해 주세요



기기 화면에서 마우스를 밑으로 움직이면 메뉴바가 나타납니다

🗆 ITX

실시간 감시 녹화검색	설정	중 리모콘 📮	덮어쓰기 🕴 네트워크 🙎 adm	in 🔮
2016-01     ▶     ▲     15:       월 월 ☆ 母 君 트 1 2     CAM1     5:     CAM1     5:       3 4 5 6 7 8 9     CAM2     CAM2     CAM2     CAM2	9 15:30 00 17:00 17:00 1	18:00   19:00   19:00	20:00 21:00	22:00

6. 하단 검색 메뉴에서 〈실시간 감시〉를 선택하면 실시간 감시 모드로 전환됩니다.

영상 저장					닫기
테이터베이스		녹화			
시작	■ 처음	2016-03-08	오후 12:01:28	2 *	
마침	■ 끝	2016-03-08	오후 12:01:28	2 *	
체널					
암호		<없음>			
저장 위치	1, USB Storage Media [2,15 GB]				
파일 이름	20150819, exe				
	🔲 텍스트-인 데이터 포	함			
	🔳 사이트 이름 사용				
진행					
			시작	닫기	

4. 백업할 날짜와 시간을 선택하고, 필요한 옵션을 선택한 후 <시작> 버튼을 클릭하면 백업이 실행됩니다.



3. <영상 저장> 버튼을 클릭합니다.

녹화검색 탭을 클릭 하세요







영상저장 버튼을 클릭하세요



(시작/끝 시간을 모두 설정합니다)

삼각형 버튼을 클릭하여 시간 설정 후 확인 버튼을 클릭하세요



저장하기의 시계 버튼을 클릭하세요



①저장할 USB장치를 선택하세요 ②데이터 형식에서 AVI 선택후 ③기록 버튼을 누르면 백업이 실행 됩니다



③ 다음을 누르세요

88월 지8월 기태리월 단국에
로그/코덱을 선택하세요

① 영상을 저장할 카메라를 선택하세요